

Catalog


Automatic baking machine PK 21 R, 2 X A



STROJÍRNY

CHRÁŠŤANY, A. S.

Automatic baking machine PK 21 R, 2 X A



Automatic baking machine for the spa-wafers or small wafers, supplied with 21 baking plates only. Manipulator powered by the pressed air stocks wafers to the rotating reservoir. The machine can be used individual or in not-automatic production lines of the production of the spa-wafers or triangular wafers.

The machine has the certification of conformity with EU and GOST-rules.

Technical parameters

Parameter	Value
Number of the baking plates	21 pcs
Theoretical machine capacity/1 hr	1 325 pcs
Electrical input: lower baking plate	500 W ÷ 0,5 %
Electrical input: upper baking plate	500 W ÷ 0,5 %
Total electrical input of the machine	21,4 kW
Connection voltage	3 x 230/400 V/50 Hz
Drive of the dough pump, manipulator and wafer container	Pressed air, 0,5 – 0,6 MPa
Quantity of pressed air	240 l/min
Temperature controlled by	Microprocessor C 81 205
Diameter of the working table	2 210 mm
Breadth of the machine	2 310 mm
Height of the machine	1 250 mm
Weight of the machine	1 450 kg

Contact

Strojírny Chrášťany, a. s.
Chrášťany 92
252 19 Rudná u Prahy

www.strojchrastany.cz

strojirnychrastany@centrum.cz